

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

**Applicant :** Gardiner, et al.  
**Patent No.:** 6,149,658

**Docket No.:** P21712.00  
**Date Issued:** November 21, 2000

# 2649  
1/29/2007

**Title:** SUTURED STAPLE SURGICAL FASTENERS, INSTRUMENTS AND METHODS FOR  
MINIMALLY INVASIVE VASCULAR AND ENDOSCOPIC SURGERY

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT**  
**FOR PTO MISTAKE (37 CFR § 1.322(a))**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**ATTN:** Decision and Certificate of Correction Branch of the Patent Issue Division

It is requested that a certificate of Correction be issued correcting errors appearing in the above-identified United States patent. A copy of the corrected text presented on Form PTO SB/44 is attached.

Please send the Certificate and change  
Correspondence address to:

**MEDTRONIC, INC.**  
**MS LC340**  
**710 Medtronic Parkway**  
**Minneapolis, MN 55432**

**Date:** January 29, 2007

/James R. Keogh/  
James R. Keogh, Reg. No. 44,824  
(763) 391-9867  
Customer No. 27581

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE****CERTIFICATE OF CORRECTION TRANSMITTAL****Patent No.:** 6,149,658**Applicant:** Gardiner, et al.**Issue Date:** November 21, 2000**Title:** SUTURED STAPLE SURGICAL FASTENERS, INSTRUMENTS AND METHODS FOR MINIMALLY INVASIVE VASCULAR AND ENDOSCOPIC SURGERY**Docket No.:** P21712.00

**CERTIFICATE OF TRANSMISSION:** I hereby certify that this **Certificate of Correction and Transmittal** and the paper(s), as described herein, are being sent via **EFS-Web** directed to the Office of Patent Publication Certificate of Correction Branch on this 29th day of January, 2007

\_\_\_\_\_/Diane A. Anderson/  
Signature  
\_\_\_\_\_  
Diane A. Anderson  
Printed Name

Decision and Certificate of Correction Branch of the Patent Issue Division  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

We are transmitting herewith the attached:

- ☒ TRANSMITTAL  
☒ REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT FOR PTO MISTAKE (37 CFR 1.322(a)).  
☐ REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT FOR APPLICANT'S MISTAKE (37 CFR 1.323)  
☒ FORM PTO SB/44 (also Form 1050)
- ☐ Please charge Deposit Account 13-2546 the sum of \$100.00.
- ☒ Please charge any additional fees or credits to Deposit Account No. 13-2546 which may have been overlooked on this Transmittal with regard to this filing.

\_\_\_\_\_  
Date January 29, 2007

\_\_\_\_\_/James R. Keogh/  
James R. Keogh, Reg. No. 44,824  
Telephone: (763) 391-9867  
Customer No.: 2758

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**Page 1 of 1

PATENT NO. : 6,149,658

APPLICATION NO.: 08/781,579

ISSUE DATE : November 21, 2000

INVENTOR(S) : Gardiner, et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 26, line 18, that portion of the claim reading "claim 39" should read --claim 22--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

*If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.*